
Appendix A: Feature Groups and MNEMONICS

When configuring a station, you can set classes of service or key features by using the **Feature** button. Features have been combined into Feature Groups. This table helps identify which feature group contains a particular feature or key feature.

Features and Feature Groups

Feature Mnemonic	Feature Group	Feature Description
AAA	HANDSFREE	Automatic Answer Back
AACD	ACD_ANALOG	Meridian Link Associated ACD Agent
ABDA	CALL_ACCT	Call Detail Records on Abandon
ADCP	AMP	All-Digital Connection Prefix - Discontinued
ADV	MAINT	Data Port Verification
AGTA	ACD_ANALOG	ACD Agent Analog Telephone
AHA	CALL_HOLD	Automatic Hold
ALDR	AMP	M3000 Directory Lock - Discontinued
AOS	ACD_SP	Observation of Supervisor
ARHA	CALL_HOLD	Audible Reminder of Held Call
ASCA	OH_ALARM	Off-Hook Alarm Security

Feature Mnemonic	Feature Group	Feature Description
AST	M_LINK	Meridian Link Associated DN Key
AST	M_LINK	Meridian Link Associated Set
AUT	DTA_OPE1	Auto Answer
AUTB	DTA_OPE1	Auto-Baud
AUTH 1	SSAU	Authorization code 1
AUTH 2	SSAU	Authorization code 2
AUTH 3	SSAU	Authorization code 3
AUTH 4	SSAU	Authorization code 4
AUTH 5	SSAU	Authorization code 5
AUTH 6	SSAU	Authorization code 6
AUTU	SSAU	Station Specific Authorization codes
BAUD	DTA_OPE1	Data Baud Rate
BIMP	SYS_ENGR	Balance Impedance for XOPS units
C6A	CALL_MODIFY	Conference-Six Party
CAC	CHINA_1_SIG	Category Code for CNI on Outgoing MFC Trunks
CCSA	HOSP_GUEST	Controlled Guest Telephone
CDEN	HARDWARE	Card Density
CDEN	HARDWARE	Card Density
CDMA	CALL_TRACE	External Station Activity Record
CFHA	CALL_REDIR	Call Forward/Hunt Override
CFTA	CALL_REDIR	Call Forward & Hunt by Call Type (Internal / External)
CFXA	CALL_REDIR	Call Forward External
CFXA	CALL_REDIR	Call Forward External

Feature Mnemonic	Feature Group	Feature Description
CLK	DTA_OPE1	External Tx Data Clock for MCA/MCU
CLS	NET_ACCESS	Trunk/Call Type Access Restriction
CLTA	MAINT	Network Call Trace
CMSA	M_LINK	Command and Status Link
CNDA	DISPLAY	Call Party Name Display
CNIA	HOSP_GUEST	Call Number Information
CNTA	ACD_AG_SP	Network ACD Countdown
CPFA	CALL_MODIFY	Forced Camp-On From This Set
CPTA	CALL_MODIFY	Forced Camp-On To This Set
CRA	GRP_HUNT	Continuous Ring
CRCS	NET_ACCESS	Flexible Code Restriction Class
CWA	CALL_WAIT	Call Waiting -- from Incoming Trunk
CWNA	ACD_ANALOG	ACD Call Waiting Notification
DCD	DTA_OPE1	Dynamic DCD
DCLP	CALL_HOLD	Dealer Conference Loop
DDGA	CLIP_CLIR	Present/Restrict Calling Number
DDS	DISPLAY	Digit Display
DELA	CALL_HOLD	Dealer Allowed
DEM	DTA_OPE1	Data Equipment Mode
DES	ADMIN	1-6 Character Designator
DGRP	M_LINK	Device Group for AST set
DIG	INTERCOM	Dial Intercom Group<space>Member
DIP	LIN_SPV_SIG	Dialing Method

Feature Mnemonic	Feature Group	Feature Description
DIP	LIN_SPV_SIG	Dialing Method
DLNG	DTA_OPE1	Data Port Language
DLO	SYS_ENGR	Digital Long Line or Short Line
DN	DIRECTORY	Station Directory Number
DNDA	DISPLAY	Dialed Number Name Display
DPUA	CALL_PICKUP	Directory Number Pickup
DRG1	CALL_ALERT	Distinctive Ringing Tone
DSI	MERIDIAN_PTE	Data Service Access - Discontinued
DTA	DATA_PORT	Data Line
DTAO	DATA_PORT	Meridian. Digital Telephone Data Option
DTR	DTA_OPE1	Force Data Terminal Ready
DTYP	AMP	Data Station Type - Discontinued
DUP	DTA_OPE1	Full/Half Duplex
EFD	CALL_REDIR	CFNA DN for External Calls with CFTA
EHT	CALL_REDIR	Hunt DN for External Calls with CFTA
HTA	HOT_LINE	Enhanced Hot Line
EXR1	CALL_ALERT	Executive Distinctive Ringing
FBA	CALL_REDIR	Call Forward Busy for DID Calls
FCAR	CALL_ACCT	Force Charge Account
FDN	CALL_REDIR	Flexible Call Forward No Answer DN
FITA	CALL_ALERT	Flexible Incoming Tone
FNA	CALL_REDIR	Call Forward No Answer
FRN	LANG	English or French for M2317

Feature Mnemonic	Feature Group	Feature Description
FSVC	OH_ALARM	Forced Out-of-Service OHAS DN Index
GPUA	CALL_PICKUP	Group Pickup
HBTA	CALL_REDIR	Hunt by DID Call Type
HDLC	DTA_OPE1	HDLC/Bisync for V.25bis Synchronous Data Call Controller - CA/MCU
HFA	HANDSFREE	Hands Free - M2616
HOT	DTA_OPE1	“Hotline” - Autodial via DTR or <CR>
HPR	SYS_ENGR	Station Priority for Dialtone
HSPA	HOSP_MAN	Hospital Room with DID Number
HTA	CALL_REDIR	Hunting
HUNT	CALL_REDIR	Hunt DN - All Calls
IAMA	ICP	Intercept Computer Answering M
IAPG	M_LINK	Meridian Link Unsolicited Status Message Group
ICDA	CALL_ACCT	Call Detail Records on Internal Calls
ICT	ICP	Intercept Computer Terminal/Processor Link
IMA	IMS	IMS Attendant with Auxiliary Processor Link
INT	DTA_OPE1	Inter-working with SL100 Data Modules
IPNA	ICP	Intercept Position
IRA	LSEL	Incoming Ringing Line Selection
IRGA	ICP	Intercept Computer Interrogation Set
ITNA	M_LINK	Idle TN for Third Party Application
KBD	DTA_OPE2	NT Menu Keyboard Dialing Available
LANG	HOSP_GUEST	Language for Automatic Wake Up

Feature Mnemonic	Feature Group	Feature Description
LDN	CUST_TEN	Departmental LDN
LDN	CUST_TEN	Departmental LDN
LDTA	LIN_SPV_SIG	Line Disconnect Tone
LHK	CALL_REDIR	Last Hunt Key for Short Hunt
LLCN	AUTOVON	Line Load Control
LNA	AUTO_CALL	Last Number Redial
LNRS	AUTO_CALL	Last Number Redial Size
LOL	SYS_ENGR	Long Line or Short Line
LPA	MSG_SVC	Message Waiting Lamp
LPK	LSEL	Last Key Scan for Auto Line Selection
LTN	IMS	IMS Logical TN and APL No.
LVXA	LOGIVOX	LOGIVOX Digit Display
MCRA	GRP_HUNT	Multiple Call Arrangement DN
MCTA	CALL_TRACE	Malicious Call Trace
MINA	MIN	Message Intercept Treatment
MLWU_LANG	HOSP_GUEST	Language for Automatic Wake Up
MOD	DTA_OPE2	Modem or Network Sync Clock
MODL	INSTALL	Model Number
MPHI	DATA_PORT	MCU used as MPH interface
MPR	AMP	Modem Pool Route Number - Discontinued
MRA	HOSP_GUEST	Message Registration
MTA	MAINT	Maintenance Set
MWA	MSG_SVC	Message Waiting at Message Service

Feature Mnemonic	Feature Group	Feature Description
NAMA	CLIP_CLIR	Present/Restrict Calling Name
NCOS	NET_ACCESS	Network Class of Service
NIA	LSEL	Incoming Non-ring Line Preference
NRCA	NITE_SERVICE	Forced Camp-On Night Class Restriction
NROA	NITE_SERVICE	Priority Override Night Class Restriction
NRWA	NITE_SERVICE	Call Waiting Night Class Restriction
OHID	OH_ALARM	Off-Hook/Interdigit OHAS DN Index
OLA	LSEL	Outgoing Line Preference
OPS	SYS_ENGR	On/Off Premise Extension
OPX	SYS_ENGR	On/Off Premise Extension
OVDA	CALL_MODIFY	Override Another Busy Station
PAR	DTA_OPE2	Parity for NT Menu Dialing
PBDO	DTA_OPE2	Port Busy on DTR Off
PDN	CLID	Calling Line ID from Prime DN
PLEV	CALL_MODIFY	Override Priority Level
POA	CALL_MODIFY	Privacy Override on Multiple Appearance DN
PRI	ACD_AG_SP	ACD Agent Priority Level
PRI	ACD_AG_SP	ACD Agent Priority Level
PRM	DTA_OPE2	Terminal User Prompts
PRSA	GRP_HUNT	Priority Call Pick-up Station
PSDS	DTA_OPE2	Public Switched Data Service
PSEL	DTA_OPE2	Starting Protocol Selection
PUA	CALL_PICKUP	Pickup Ringing Number in Home Group

Feature Mnemonic	Feature Group	Feature Description
RCC	NET_ACCESS	Restricted from Receiving Collect Calls
RCO	CALL_REDIR	No-Answer Ring Cycle Index
RDI	NET_ACCESS	Restricted from Receiving DID
RLFA	LOGIVOX	Reverse Lamp Flash
RNPG	CALL_PICKUP	Ringing Number Pick-up Group
RTS	DTA_OPE2	Assert Request To Send
SCI	CUST_TEN	Station Category Index
SCPW	STN_CTRL	Station Control Password
SFA	CALL_REDIR	Second Level CFNA
SFDN	SECRETARIAL	Secretarial Forwarding DN
SFLT	SECRETARIAL	Secretarial Filtering Boss/Sec
SGRP	NET_ACCESS	Scheduled Access Restriction Group
SMSA	MSG_SVC	Standalone Mail Message Server
SPID	ACD_AGENT	Supervisor Position ID
SPKA	CALL_HOLD	Call-On-Hold Speaker
SPV	ACD_AG_SP	ACD Supervisor/Agent
SPWD	SSAU	Secure data password
SSU	AUTO_CALL	System Speed Call List Number
SWA	CALL_WAIT	Call Waiting from a Station
TEN	CUST_TEN	Multi-Tenant Number
TENA	CUST_TEN	Tenant Service
TGAR	NET_ACCESS	Trunk Group Access Restriction
THFA	NET_SIGNAL	Centrex Switchhook Flash

Feature Mnemonic	Feature Group	Feature Description
TIMP	SYS_ENGR	Termination Impedance for XOPS
TN	HARDWARE	Terminal Number
TOV	DATA_PORT	Data Call Forced Disconnect Timer
TRAN	DTA_OPE2	Asynchronous or Synchronous
TSA	CALL_MODIFY	Three Party Service
TVA	TRUNK_VERIF	Trunk Verification from Station
USMA	ACD_AG_SP	Meridian 911 position
USRA	CALL_REDIR	User Selectable Call Redirection
V25	DTA_OPE2	V.25bis Call Control
VLL	DTA_OPE2	Virtual Leased Line
VMA	ACD_M_MAIL	Virtual Message Agent
WIRE	DATA_PORT	DAC Wire Test Mode
WTA	PRIVACY	Warning Tone
XFA	CALL_MODIFY	Call Transfer or Attendant Recall
XFA	CALL_MODIFY	Call Transfer or Attendant Recall
XHA	CALL_HOLD	Exclusive Hold
XLST	NET_ACCESS	Pretranslation Group
XRA	AUTO_CALL	Ring Again

Key Features

Mnemonic	Feature Group	Key Cap	Key Feature Description
AAG	ACD_SP	Answer Agent	ACD Answer Agent
AAK	HANDSFREE	Auto Answer	Automatic Answer Back
ACD	ACD_AG_SP	In-Calls	Auto. Call Distribution
ACD	ACD_AG_SP	In-Calls	Auto. Call Distribution
ACNT	ACD_AG_SP	Account No.	ACDD Account Code
ADL	AUTO_CALL	Auto Dial	Auto Dial
ADL	AUTO_CALL		Auto Dial
AGR	ACD_AG_SP	Load Mgt.	Agent X Key
AGT	ACD_SP	Agent	ACD Agent
AMG	ACD_SP	Answer Emergency	ACD Answer Emergency Call
AO3	CALL_MODIFY	Conference	3-Party Conference
AO6	CALL_MODIFY	Conference	6-Party Conference
ARC	AUTO_CALL	Attendant Recall	Attendant Recall
ASP	ACD_AGENT	Supervisor	ACD Supervisor call
ATW	ACD_AG_SP	Wait Threshold	ACD Call Waiting Time Threshold
AWC	ACD_AG_SP	Call Wait	ACD Calls Waiting
BFS	SECRETARIAL	Fwd/Busy Stat	Forward/Busy Status
BFS	SECRETARIAL	Fwd/Bsy Stat	Forward and Busy Status
CA	CALL_MODIFY	Conf Auto	No Hold Conference/Autodial
CAS	CUST_TEN	CAS	Centralized Attendant Service
CFW	CALL_REDIR	Forward	Forward All Calls
CFW	CALL_REDIR	Forward	Forward All Calls

Mnemonic	Feature Group	Key Cap	Key Feature Description
CHG	CALL_ACCT	Charge	Charge Account
CH_D	CALL_MODIFY	Conf Hot	No-Hold Conference & Hot Line Direct
CH_L	CALL_MODIFY	Conf Hot	No-Hold Conference & Hot Line via List
COS	HOSP_ADMIN	Cont COS	Controlled COS
CPN	CALL_ACCT	Call No.	Calling Party Number
CPND	HOSP_GUEST	CPNDbyPMSI	Guest Name Updated via PMSI
CS	CALL_MODIFY	Conf Speed	No Hold Conference Speed Call
CWT	CALL_WAIT	Call Wait	Call Waiting
DAG	ACD_SP	Disp Agent	ACD Display Agents
DCFW	CALL_REDIR	Default Fwd	Default Call Forward
DIG	INTERCOM	Intercom	Dial Intercom
DPU	CALL_PICKUP	DN Pickup	DN Pickup
DRC	CUST_TEN	DID Ctrl	DID Route Control
DSP	DISPLAY	Display	Digit Display
DWC	ACD_AG_SP	Disp Queue	Display ACD Queue Statistics
EFD	CALL_REDIR	XFwdNoAnsDN	Fwd No-Answer DN for External Calls
EHT	CALL_REDIR	XHuntDN	Hunt DN for External Calls
EMR	ACD_AGENT	Emergency	ACD Emergency
ENI	ACD_SP	Interflow	ACD Enable Interflow
EOVR	CALL_MODIFY	Override	Enhanced Override
FAXS	FAX	FAX Server	FAX Server
FDN	CALL_REDIR	FwdNoAnsDN	Forward No-Answer DN

Mnemonic	Feature Group	Key Cap	Key Feature Description
FLH	AUTOVON		AUTOVON Flash
FOV	AUTOVON		AUTOVON Flash Override
GHD	GRP_HUNT	Hunt Deact	Group Hunt Deactivate
GPU	CALL_PICKUP	Grp Pickup	Group Pickup
GRC	AUTO_CALL	Group Call	Group Call
HOT_D	HOT_LINE	Hot Line	Hotline (Direct)
HOT_D_2WAY	HOT_LINE	Hot Line	Two-Way Hot Line (Direct)
HOT_L	HOT_LINE	Hot Line	Hot Line (List)
HOT_L_2WAY	HOT_LINE	Hot Line	Two-way Hot Line (List)
ICF	CALL_REDIR	Int. Fwd	Forward All Internal Calls
IMM	AUTOVON		AUTOVON Immediate
LNG	DISPLAY	Language	Language Toggle
LNK	AUTO_CALL	Last No.	Last Number Redial
LSPK	CALL_HOLD	Loud Speaker	Loud Speaker
MCK	MSG_SVC	Msg Cancel	Message Waiting Cancellation
MCN	DIRECTORY	PARM	Multiple Call Non-ringing
MCR	DIRECTORY	PARM	Multiple Call Ringing
MIK	MSG_SVC	Msg Indic	Message Waiting Indication
MRK	HOSP_ADMIN	Msg Reg	Message Registration
MSB	ACD_AG_SP	Pos Busy	Make Set Busy
MWK	MSG_SVC	Message	Message Waiting Autodial
NHC	CALL_MODIFY	N. H. Conf	No Hold Conference
NRD	ACD_AG_SP	Not Ready	Not Ready
NSVC	ACD_SP	Night	ACD Night Service

Mnemonic	Feature Group	Key Cap	Key Feature Description
OBV	ACD_SP	Observe	ACD Observe
OVb	CUST_TEN	Att Ovf Bsy	Attendant. Overflow Position Busy
OVR	CALL_MODIFY	Override	Busy Station Override
PHD	CALL_HOLD	PermanentHld	Permanent Hold
PRK	CALL_MODIFY	Park	Call Park
PRS	CALL_MODIFY	Priv Rls	Privacy Release
PRY	AUTOVON		AUTOVON Priority
PVN	DIRECTORY	PARM	Private Line Non-ringing
PVR	DIRECTORY	PARM	Private Line Ringing
RAG	ACD_SP	Call Agt	ACD Call Agent
RCK	RINGING_CHG	Ringling Chg	Ringling Change
RDL	AUTO_CALL	Stored No.	Stored No. Re-dial
RDL	AUTO_CALL	Stored No.	Stored No. Re-dial
RGA	AUTO_CALL	Ring Again	Ring Again
RLS	CALL_MODIFY	Rls	Release
RMK	HOSP_ADMIN	Room Key	Room Status
RNP	CALL_PICKUP	Call Pickup	Ringling Number Pick-up
RPAG	RPS	Radio Paging	Radio Paging Key
SCC	AUTO_CALL	Speed Call	Speed Call Controller
SCN	DIRECTORY	PARM	Single Call Non-Ringing
SCR	DIRECTORY	PARM	Single Call Ringing
SCU	AUTO_CALL	Speed Call	Speed Call User
SIG	SECRETARIAL	Buzz	Buzz Secretary

Mnemonic	Feature Group	Key Cap	Key Feature Description
SSC	AUTO_CALL	Sys Speed	System Speed Call Controller
SSU	AUTO_CALL	Sys Speed	System Speed Call User
TAD	DISPLAY	Time Date	Time and Date
THF	CALL_MODIFY	CTX Access	Centrex Switchhook Flash
TRC	CALL_TRACE	Trace	Malicious Call Trace
TRN	CALL_MODIFY	Transfer	Call Transfer
USR	CALL_REDIR	Redirect Ctl	User Selectable Call Redirect
UST	MSG_SVC	Status	User Status
VCC	HANDSFREE	Voice Call	Voice Call
WUK	HOSP_GUEST	Wake Up	Guest Entry of Wake Up Call